



Purchase Date: ____ / ____ / ____ Order/Customer Reference Number: _____

Thank you for choosing CASL Brands. We stand behind our brand and the quality of the items we sell. Replacement parts or products will be sent at our discretion within the 1-year warranty period. Proof of purchase, with the date of purchase as well as photos of the merchandise defect, must be provided. Photos are used to determine the cause of defects and for future quality control.


Register your warranty at <https://tiny.cc/CASLWarranty>

If you have any questions, comments or concerns, feel free to contact us by phone at **833-982-1977**, by email: customerservice@sunnydazedecor.com, or via our contact us page at <https://tiny.cc/CASLContact>




ICE SCRAPER

Review all assembly and care information before using this product. Save this manual for future reference.


Assemble components on a soft, clean surface to avoid damaging the finish.



Inspect packaging to ensure all parts are accounted for before disposing of packing materials.

No.	PARTS		QTY.
A		End Handle	1
B		Middle Bar	1
C		Spring Cushion	2
D		Blade	1
E		M6x32mm Carriage Bolt with Flange Nut	2

RECOMMENDED TOOLS (not included)



Flat-Head Screwdriver



Pliers



WARNING




CHOKING HAZARD — This item contains small parts that can be swallowed. Keep children and pets away during assembly.

ASSEMBLY

STEP 1

B: 1


E: 1



Place one M6x32mm Carriage Bolt with Flange Nut (E) set into the Middle Bar (B) through the top holes.

STEP 2

C: 1




Insert the Spring Cushion (C) into the Middle Bar's (B) chamber.

STEP 3

D: 1


E: 1



Insert the Blade (D) into the Middle Bar's (B) chamber, and affix with one M6x32mm Carriage Bolt with Flange Nut (E) set through the other set of holes.

STEP 4

A: 1



Affix the End Handle (A) onto the Middle Bar (B).

Care & Maintenance

SAFE USE

Use the scraper for removing ice or compacted snow from walking or driving surfaces. Do not use as a pry bar, hammer, or demolition tool.

Surfaces may remain slippery during and after scraping. Maintain stable footing and balance while using scraper. Use extra caution on slopes, stairs, uneven pavement, and areas concealed by snow.

INSPECT

Ensure all bolts, nuts, and handle connections are securely tightened before use.

STORAGE

Wipe the scraper dry before storage. Hang or store scraper in dry location when not in use to maintain finish.

CLEANING

Remove ice, salt, sand, mud, and de-icing chemicals from the scraper with a clean dry towel.

WARNING: THE ONE-YEAR WARRANTY DOES NOT COVER DAMAGES OR DEFECTS CAUSED BY THE APPLICATION OF CHEMICAL TREATMENTS, PROTECTIVE COATINGS, TOUCH-UP PAINT, OR CLEANING PRODUCTS.

SAFETY STATEMENTS & WARNINGS

- Ensure all bolts, nuts, and handle connections are securely tightened before use.
- Always keep your feet and body clear of the blade.
- Do not strike or scrape toward another person.
- Keep children, pets, vehicles, windows, and other people clear of work area.
- Do not use on vehicles.
- Do not use the scraper if the blade, handle, hardware, or shock-absorbing components are cracked, bent, loose, excessively worn, or otherwise damaged.

Any modification to the product or failure to follow recommended care will void the product warranty.

If you experience issues with assembly or the product was damaged during transit, please contact our customer service team through one of the methods mentioned at the top of page 1. Please have the item number and order information ready to expedite response time.

WARNING:

Manufacturer and seller expressly disclaim any and all liability from personal injury, property damage or loss, whether direct or indirect, or incidental, resulting from the incorrect attachment, improper use, inadequate maintenance, or neglect of this product.

